

SCHEDULE A
Local Discharge Limitations

<u>Parameter</u>	<u>Concentration (mg/l)</u>
Antimony	52.32
Arsenic	0.32
Beryllium	0.17
Boron	1.11
Cadmium	0.33
Chromium	0.53
Copper	1.20
Cyanide	0.26
Lead	0.12
Mercury	0.00
Molybdenum	0.05
Nickel	0.49
Selenium	1.37
Silver	0.01
Thallium	1.90
Zinc	1.10

SCHEDULE B
CHARGES AND FEES

I. Foxborough's Charges and Fees

- A. Application for Sewer Connections \$ 25.00
Non-Refundable
 - B. Permit for Sewer Connections
 - 1. Residential/Commercial Permits \$125.00
 - 2. Industrial Permits \$125.00
 - C. Renewal of Permit \$ 50.00
 - D. Industrial Inspections \$50.00/hour or portion thereof
 - E. New Residential Connections* to existing sewer system Not
 subject to a Betterment Charge:
\$1,500/ Bedroom
- Relocation of Existing Service would be 50% of the installation costs as described above. The Contractor also cuts and caps existing service at main.
- *as may be authorized on an emergency basis or in the future when the moratorium is rescinded.
- F. Inspection Charges for Replacement or Repair of existing sewer
 connection
\$25.00

Regular Sewer Customers

- 1. System capacity charge for residences within an area subject to betterment costs that have not connected to the new sewer system within the one-year grace period:

	<u>3 Bedroom</u>	<u>4 Bedroom</u>
Annual	\$164.68	\$219.56
Semi-Annual	\$ 82.34	\$109.78
Quarterly	\$ 41.17	\$ 54.89

II. Mansfield's Charges and Fees

- A. Annual Permit Fees
- | | |
|-------------------------------------|----------|
| 1. Significant Industrial Users | \$125.00 |
| 2. Non-Significant Industrial Users | |
| Long Form | \$ 50.00 |
| Short Form | \$ 10.00 |
- B. Annual Flow Based Surcharges

Industrial Users shall pay annual flow-based surcharges to cover the non-labor costs of the Town's Industrial Pretreatment Program. The surcharge rate will be adjusted annually by the Town based on the anticipated fiscal year budget. If surcharge revenues are less than projected during any fiscal year, the Town may increase its surcharge rate to recover the whole cost for the Town's Industrial Pretreatment Program.

The flow from Industrial Users is approximately 51,126,056 gallons per year (6,835,034 cubic feet per year) based on past data. The initial surcharge rate is calculated as follows:

$$\text{Surcharge/1000 cubic feet} = \frac{\$7450 \times 1000 \text{ c.f. (billing unit/1000 c.f.)}}{6,835,034}$$

- \$1.09/1000 c.f.

The surcharge rate also may be adjusted by the Town based on changes in the flow from Industrial Users.

III. Direct Backcharges for Laboratory Costs

Each Industrial User will be billed a direct backcharge for all laboratory costs incurred by the Town or the Commission for sampling of the Industrial User's discharge or within the Industrial User's facility required by EPA, DEP, the Town or the Commission.